INVITATION TO BID CITY OF BATON ROUGE **RESPONSES MUST BE** PARISH OF EAST BATON ROUGE **RECEIVED BY:** PURCHASING DIVISION 08/02/2021 11:00 AM CST 2021 or NEWER TANDEM DUMP TRUCK **RETURN BID TO:** TITLE: PURCHASING DIVISION WITH DUMP BODY FILE NO: **8733-21** REQ NO: **RQ8733** Mailing Address: **Physical Address:** 222 St. Louis Street PO Box 1471 Baton Rouge, LA 70821 8th Floor Room 826 AD DATES: 7/16 & 7/23 Baton Rouge, LA 70802 SHIP TO ADDRESS: City of Baton Rouge **Contact Regarding Inquiries: Public Works Central Garage** Purchasing Analyst Arvin F. Jones 333 Chippewa Street Telephone Number: 225-389-3259 x 3267 Baton Rouge, LA 70805 Email: afiones@brla.gov VENDOR NAME MAILING ADDRESS REMIT TO ADDRESS CITY, STATE, ZIP TELEPHONE NO. FAX NO. E-MAIL FEDERAL TAX ID OR SOCIAL SECURITY NUMBER TITLE **AUTHORIZED SIGNATURE** PRINTED NAME QUESTIONS TO BE COMPLETED BY VENDOR: 1. STATE DELIVERY DAYS MAXIMUM AFTER RECEIPT OF ORDER % discount for payment made within 30 days. Discount for payment made in less than 30 days, or less than 1%, or applicable to an indefinite quantity contract will be accepted but not an award consideration. STATE ENUMERATED ADDENDA RECEIVED (IF ANY)

#### F.O.B.: DESTINATION -**PAYMENT TERMS: NET 30**

#### ALL BLANKS ON THIS PAGE SHOULD BE COMPLETED TO AVOID REJECTION OF BID

The signature on this document certifies that proposer has carefully examined the instructions to bidders, terms and specifications applicable to, and made a part of this solicitation. By submission of this document, proposer further certifies that the prices shown are in full compliance with the conditions, terms and specifications of this solicitation.

No alterations, changes or additions are allowed on this solicitation, and no additional information, clarifications or other documents are to be included unless specifically required by the specification. Any errors in extensions of prices will be resolved in favor of unit prices submitted.

If services are to be performed in East Baton Rouge City-Parish, evidence of a current occupational license and/or permit issued by the City-Parish shall be supplied by the successful vendor, if applicable.

3.

#### INSTRUCTIONS TO BIDDERS / TERMS & CONDITIONS - SEALED BIDS

Bidders are urged to promptly review the requirements of this specification and submit questions for resolution as early as possible during the bid period. Questions or concerns must be submitted in writing to the purchasing division during the bid period. Otherwise, this will be construed as acceptance by the bidders that the intent of the specifications is clear and that competitive bids may be obtained as specified herein. Protests with regard to the specification documents will not be considered after bids are opened.

- 1. Read the entire bid, including all terms and conditions and specifications.
- 2. Bids are mailed only as a courtesy. The City Parish does not assume responsibility for failure of bidders to receive bids. Bidders should rely only on advertisements in the local newspaper, and should personally pick up bids and specifications. Full information may be obtained, or any questions answered, by contacting the Purchasing Division, 222 Saint Louis Street, 8<sup>th</sup> Floor, Room 826, Baton Rouge, LA 70802 or by calling (225) 389-3259.
- 3. The bid number, bidder's name, address and bid opening date should be clearly printed or typed on the outside of the bid envelope. Only one bid will be accepted from each bidder for the same job. Alternates will not be accepted unless specifically requested in the proposal. Submission of more than one bid or alternates not requested may be grounds for rejection of all bids by the bidder.
- 4. The method of delivery of bids is the responsibility of the bidder. All bids must be received by the Purchasing Division on or before the specified bid opening date and time. Late bids will not be considered under any circumstances. The City will not accept fax proposals or proposals sent via e-mail. All faxed or e-mailed proposals shall be rejected and returned
- 5. Failure to deliver within the time specified in the bid will constitute a default and may cause cancellation of the contract. Where the city has determined the contractor to be in default, the city reserves right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
- 6. The City Parish specifically reserves the right to evaluate bids and award items separately, grouped or on an all or none basis, to accept the bid which is in the best interest of the City parish, and to reject all proposals if that is in the best interest of the City Parish.
- 7. Except for bids submitted through the <a href="www.bidexpress.com">www.bidexpress.com</a> on-line bidding site, bids shall be accepted only on bid forms furnished by the City of Baton Rouge and Parish of East Baton Rouge Purchasing Division. Altered or incomplete bids (including non-acknowledgement of addenda issued, if any), or the use of substitute forms or documents, shall render the bid non-responsive and subject to rejection.
- 8. All bids must be typed or written in ink. Any erasures, strikeover and/or changes to prices should be initialed by the bidder. Failure to initial may be cause for rejection of the bid as non-responsive.
- 9. All bids must be manually signed by a properly authorized party. Failure to do so shall cause the bid to be rejected as non-responsive.
- 10. Where one or more vendor's exact products or typical workmanship is designated as the level of quality desired or equivalent, the Purchasing Division reserves the right to determine the acceptability of any equivalent offered.
- 11. Detailed factory specifications, illustrative literature and any deviations should be submitted with bid as required by the specifications or on the bid form. Representative samples shall be submitted upon request, if appropriate. Bidders proposing an equivalent brand or model should submit with the bid information (such as illustrations, descriptive literature, and technical data) sufficient for the City to evaluate quality, suitability, and compliance with the specifications in the solicitation.
- Written addenda issued prior to bid opening which modifies the bid shall become a part of the bid, and shall be incorporated within the purchase order and/or contract. Only a written interpretation or correction by Addendum shall be binding. Bidders shall not rely upon any interpretation or correction given by any other method. Failure to acknowledge receipt of addenda (if any) shall render the bid non- responsive and subject to rejection.

- 13. For Printing solicitations, artwork, dies and/or molds shall become the property of the City Parish Government and must be returned to the Purchasing Division, 222 Saint Louis Street, 8<sup>th</sup> Floor, Room 826, Baton Rouge, LA 70802, upon completion of the order.
- All applicable chemicals, herbicides, pesticides and hazardous materials must be registered for sale in Louisiana by the Department of Agriculture, State of Louisiana, registered with the EPA and must meet all requirements of Louisiana State Laws. Bidders must submit product label, material safety data sheet and EPA registry number with bid. This information will be required on any subsequent deliveries if there is a change in chemical content or a different product is being supplied. Failure to submit this data may be cause for the bid to be rejected or the contract canceled.
- 15. Delivery of items must be made on time to City Parish final destinations within East Baton Rouge Parish. All freight charges shall be prepaid by vendor. Late deliveries or unsatisfactory performance may be cause to cancel the Purchase Order or contract.
- 16. The State of Louisiana Code of Governmental Ethics places restrictions on awarding contracts or purchase orders to persons who are employed by any agency of the City Parish Government, or any business of which he or his spouse has more than a twenty-five percent (25%) interest. The Code also prescribes other restrictions against conflict of interest and establishes guidelines to assure that appropriate ethical standards are followed. If any question exists regarding potential violation of the Code of Ethics, bidders should contact the Purchasing Division prior to submission of the bid. Any violation of the Code of Ethics shall be grounds for disqualification of bid or cancellation of contract.
- 17. All Prices bid shall remain in effect for a period of at least sixty (60) days. City Parish purchases are excluded from state and local taxes.
- 18. Acceptance of award by vendor, either in writing or by shipment of any article described herein, shall effectuate a contract between City Parish and vendor for the materials described herein, and no additional conditions or amendments shall have any effect unless approved in writing by City Parish.
- 19. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Information pertaining to completed files may be secured by visiting the EBR City Parish Purchasing office during normal working hours.
- 20. The City Parish is an equal opportunity employer, and does not discriminate against anyone on the basis of race, sex, creed, color, religion, national origin, ancestry, reprisal, disability, sexual orientation, marital status or political affiliation.
- 21. In accordance with Louisiana Revised Statutes, a preference may be allowed for equivalent products produced, manufactured or grown in Louisiana and/or firms doing business in the State of Louisiana. Do you claim this preference if allowed? YES \_\_\_\_\_ NO\_\_\_\_. If this preference is claimed, attach substantiating information to the proposal to show the basis for the claim.
- 22. Right To Audit Clause: The Contractor shall permit the authorized representative of the City-Parish to periodically inspect and audit all data and records of the Contractor relating to his performance under this contract.
- 23. Terms and Conditions: This solicitation contains all terms and conditions with respect to the purchase of the goods and/or services specified herein. Submittal of any contrary terms and conditions may cause your bid to be rejected. By signing and submitting a bid, vendor agrees that contrary terms and conditions which may be included in their bid are nullified; and agrees that this contract shall be construed in accordance with this solicitation and governed by the laws of the State of Louisiana as required by Louisiana Law.
- 24. In accordance with the provisions of LA. R.S. 38:2212.9, in awarding contracts after August 15, 2010, any public entity is authorized to reject the lowest bid from, or not award the contract to, a business in which any individual with an ownership interest of five percent or more has been convicted of, or has entered a plea of guilty or *Nolo Contendere* to any state felony crime or equivalent federal felony crime committed in the solicitation or execution of a contract or bid awarded under the laws governing public contracts under the provisions of Chapter 10 of this Title, professional, personal, consulting, and social services procurement under the provisions of Chapter 16 of Title 39 of the Louisiana Revised Statutes of 1950, or the Louisiana Procurement Code under the provisions of Chapter 17 of Title 39 of the Louisiana Revised Statutes of 1950.

25. Certification of no suspension or debarment. By signing and submitting any bid for \$25,000 or more, the bidder certifies that their company, any subcontractors, or principals are not suspended or debarred by the general services administration (GSA) in "Audit Requirements In subpart F of the Office of Management and Budget's uniform administrative requirements, cost principles, and audit requirements for federal awards" (Formerly OMB circular a-133).

A list of parties who have been suspended or debarred can be viewed via the internet at http://www.sam.gov.

- 26. Bid prices shall include delivery of all items F.O.B. destination or as otherwise provided. Bids containing "Payment in Advance" or "C.O.D. requirements may be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
- 27. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Bids may be examined within 72 hours after bid opening. Information pertaining to completed files may be secured by visiting the Purchasing Division during normal working hours. Written bid tabulations may be accessed at: <a href="http://city.brla.gov/dept/purchase/bidresults.asp">http://city.brla.gov/dept/purchase/bidresults.asp</a>.
- 28. Contractor agrees, upon receipt of written notice of a claim of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the city, its agents and employees from and against all claims and actions for bodily injury, death or property damages caused by fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees, however the contractor shall have no obligation as set forth with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the City, its officers, its agents, or its employees.
- 29. In accordance with Louisiana Law (R.S. 12:262.1 and 12:1308.2), all corporations and limited liability companies must be in good standing with the Louisiana Secretary of State at the time of execution of the contract.
- 30. Vendors submitting signed bids agree to EEOC compliance and certify that they agree to adhere to the mandates dictated by Title VI and VII of the Civil Right Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, the Federal Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Act of 1975, and agrees to abide by the requirements of the Americans with Disabilities Act of 1990.
  - Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.
- 31. The City of Baton Rouge, Parish of East Baton Rouge launched a new Enterprise Resource Planning (ERP) system, Vendor Self Service (VSS) via Munis. VSS replaced the legacy vendor database and will be used by all departments and agencies citywide.

Vendor Self-Service (VSS) enables vendors to register and maintain information about their organization for the purpose of doing business with City-Parish and receive notifications of business opportunities. The City-Parish procurement activities are subject to the State of Louisiana Public Bid Law, local city-parish ordinances as well as applicable federal statutes as directed by grant providers. Vendors must be registered to receive bid notifications.

New vendors or existing vendors who need to create a VSS account can do so clicking the Registration link at <a href="http://brla.gov/vss">http://brla.gov/vss</a>. Vendors are encouraged to review the step by step <a href="https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF">https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF</a> before beginning the registration process which may be assessed at <a href="https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF">https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF</a> Service-Registration-Guide-PDFide.

Additional information regarding how to do business with EBR City-Parish is available at: <a href="https://www.brla.gov/DocumentCenter/View/678">https://www.brla.gov/DocumentCenter/View/678</a>.

We also post our scheduled bid openings, as well as unofficial bid tabulations after the bids have opened at <a href="http://city.brla.gov/dept/purchase/bids.asp">http://city.brla.gov/dept/purchase/bids.asp</a>.

**Note:** Commodity codes are required for setting up your profile. These numbers tell us what commodities and services that you can provide. When agencies request products or services, our buyers pull directly from these numbers to send out solicitations, bids, and guotes. The first 3 numbers are the class numbers; the subclasses

are two digit numbers that better describe the commodity or service. For questions regarding commodity codes, please contact purchasing at (225) 389-3259 Ext 0.

**Important!** - A W-9 Form is required in order to do business with City-Parish. Part of the online enrollment process requires you to upload a completed W-9 form. Please have the completed form in an electronic format so that you can submit it as part of the registration process. The W-9 form can be downloaded from the IRS website. We have created step by step directions on how to properly complete the W-9 Form.

#### FEDERAL CLAUSES, IF APPLICABLE.

#### Remedies for Breach

Bidder acknowledges that contracts in excess of the simplified purchase threshold (\$150,000.00) shall contain provisions allowing for administrative, contractual, or legal remedies for contractor breaches of the contract terms, and shall provide for such remedial actions as appropriate.

#### II. Termination and Settlement

Bidder acknowledges that contracts in excess of \$10,000.00 shall contain termination provisions including the manner in which termination shall be effected and the basis for settlement. In addition, such provisions shall describe conditions for termination due to fault and for termination due to circumstances outside of the contractors' control.

#### III. Access to Records

Bidder acknowledges that all contracts (except those for less than the small purchase threshold) shall include provisions authorizing the recipient, US Funding Agency, the Comptroller General, or any of their duly authorized representatives access to all books, documents, papers, and records of the contractor which are directly pertinent to a specific program for the purpose of making audits, examinations, excerpts, and transcriptions.

#### IV. Equal Employment Opportunity

Bidder acknowledges that all contracts shall contain provisions requiring compliance with

E.O. 11246, "Equal Employment Opportunity," as amended by E.O. 11375, "Amending Executive Order 11236 Relating to Equal Employment Opportunity," and as supplemented by regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Dept. of Labor.

#### V. Copeland "Anti-Kickback" Act

Bidder acknowledges that all construction/repair contracts and sub-grants in excess of \$2,000 shall include provisions requiring compliance with the Copeland "Anti-kickback" Act (18 U.S.C. §3141-3148), which provides that each contractor or sub-recipient shall be prohibited from inducing any person employed in the construction, completion, or repair of public work, to give up any part of the entitled.

#### VI. Davis-Bacon Act

Bidder acknowledges that all construction contracts in excess of \$2,000 shall include a provision for compliance with the Davis-Bacon Act, which requires contractors to pay laborers and mechanics wages at a rate not less than the minimum wages specified in a wage determination made by the Secretary of Labor. Additionally, contractors shall be required to pay wages not less than once a week.

#### VII. Contract Work Hours and Safety Standards Act

Bidder acknowledges that all construction contracts in excess of \$2,000, and all other contracts involving the employment of mechanics or laborers in excess of \$2,500 shall include provisions for compliance with sections 102 and 107 of the Contract Work Hours and Safety Standards Act, which requires each contractor to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and one-half times the basic rate of pay for all hours worked in excess of 40 hours. Section 107 is applicable to construction work and

provides that no laborer or mechanic shall be required to work in surroundings or under working conditions that are unsanitary, hazardous, or dangerous.

VIII. Rights to Inventions Made Under a Contract or Agreement

Bidder acknowledges that contracts for the performance of experimental, developmental, or research work shall include provisions providing for the rights of the Federal Government and the recipient in any resulting invention in accordance with 37 CFR part 401, "Rights to Inventions Made by Nonprofit Organizations and the Small Business Firms Under Governments Grants, Contracts, and Cooperative Agreements"

#### IX. Clean Air Act

Bidder acknowledges that the Clean Air Act (CAA) is the comprehensive federal law regulating air emissions from stationary and mobile sources. Among other things, this law authorizes EPA to establish National Ambient Air Quality Standards (NAAQS) to protect public health and public welfare and to regulate emissions of hazardous air pollutants

#### X. Clean Water Act.

The contractor hereby agrees to adhere to the provisions which require compliance with all applicable Standards, orders, or requirements issued under section 508 of the clean water act which prohibits the use under non-exempt Federal contracts, grants or loans of facilities included on the EPA list of violating facilities

#### XI. Energy policy and conservation act

The contractor hereby recognizes the mandatory standards and policies relating to energy Efficiency which is contained in the state energy conservation plan issued in compliance with the energy policy and Conservation act (P.L. 94-163).

Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.

#### DEALER LICENSE REQUIREMENTS

Any vendor wishing to bid on vehicles for City of Baton Rouge/Parish of East Baton Rouge must be in compliance with Chapter 6, Distribution and Sales of Motor Vehicles, LA State Statute R.S. 32:1251, which stipulates any motor vehicle manufacturer, distributor, dealer and lessor doing business in Louisiana must be licensed in Louisiana.

All bidders shall include a copy of their valid dealer's license, issued under the provisions of R.S. 32:1254, with any bid submitted. Per R.S. 38:2218.8, public entities are prohibited from accepting bids from or entering into any contract or cooperative endeavor agreement or any other transaction for the procurement of vehicles with a dealer who does not possess a valid dealer's license issued pursuant to R.S. 32:1254. A public entity shall reject any bid submitted by a dealer for the purchase of vehicles which does not include a copy of a valid dealer license.

RS 38:2212.8 Prohibition of bids from or contracts with unlicensed dealers

- A. A public entity shall not accept any bid from or enter into any contract or cooperative endeavor agreement, or any other transaction for the procurement of vehicles, with a dealer who does not possess a valid dealer's license issued under the provisions of R.S. 32:1254.
- B. A public entity shall require that any bid submitted by, or a contract or cooperative endeavor agreement with, a dealer for the purchase of vehicles shall include a copy of a valid dealer's license issued under the provisions of R.S. 32:1254.
- C. A public entity shall reject any bid submitted by a dealer for the purchase of vehicles which does not include a copy of a valid dealer license.
- D. A public entity shall not sign a contract or cooperative endeavor agreement with a dealer for the purchase of vehicles which does not include a copy of a valid dealer license.
- E. If in the course of an audit or review by the legislative auditor, pursuant to the powers and duties in R.S. 24:513, a violation of this Section is found, the legislative auditor shall report such findings to the Louisiana Motor Vehicle Commission. Acts 2010, No. 376, §1.

#### **INQUIRY PERIOD**

An inquiry period is hereby firmly set for all interested bidders to perform a detailed review of the bid documents and to submit any **written questions** relative thereto. *Without exception*, all questions MUST be in writing.

The City-Parish shall not and cannot permit an open-ended inquiry period, as this creates an unwarranted delay in the procurement cycle and operations of our departments. The City-Parish reasonably expects and requires *responsible and interested* bidders to conduct their in-depth review of the bid document and submit inquiries in a timely manner.

All inquiries shall be received by 5:00p.m. on July 26, 2021. <u>INQUIRIES AND/OR QUESTIONS SHALL</u> NOT BE ENTERTAINED THEREAFTER.

Inquiries are to be directed as follows:

Arvin F. Jones, Senior Purchasing Analyst
City-Parish Purchasing Department
222 St. Louis Street, Room 826 (Hand Delivery)
Baton Rouge, LA 70802
or
P.O.Box 1471
Baton Rouge, LA 70821
or

Email: <u>afjones@brla.gov</u> or Fax (225) 389-4841

## CITY OF BATON ROUGE PARISH OF EAST BATON ROUGE PURCHASING DIVISION

## **Pricing Sheet**

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability,

compatibility and compliance with the specifications.

ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
0001	2021 OR NEWER DUMP TRUCK WITH A DUMP BODY.  2021 OR NEWER WESTERN STAR TRUCK 4700SB TANDEM DUMP TRUCK WITH A WARREN DUMP BODY OR EQUAL IN ACCORDANCE WITH THE ATTACHED SPECIFICATIONS.  STATE MAKE AND MODEL NUMBER	4	EACH	\$	\$



Picture only denotes the general style, type, character and quality standard approved equal.

## CITY OF BATON ROUGE PARISH OF EAST BATON ROUGE PURCHASING DIVISION

## **Specifications:**

General: The intent of this proposal is to establish prices for a 2021 or newer Dump Truck and Dump Body Western Star 4700SB Tandem and Warren Dump Body of approved equal. These specifications represent standard requirements for City Parish Vehicles. Bids are based on the totality of "YES" responses. "YES" response(s) provided by bidders that are found to be incorrect during bid evaluation may result in a determination of bid non-responsiveness.

MINIMUM SPECIFICATIONS DESCRIPTIONS.		MEET	
ATTACH DEVIATION NOTES TO PROPOSAL. DUMP TRUCK	SPECIF YES	ICATIONS	
As a minimum (any non-compliance must be marked "NO") each unit shall be equipped	TES	NO	
VEHICLE CONFIGURATION:	1		
4700 SET-BACK FRONT AXLE CHASSIS or Approved Equal			
2023 MODEL YEAR SPECIFIED			
SET BACK AXLE - TRUCK			
TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK			
LH PRIMARY STEERING LOCATION			
GENERAL SERVICE:			
TRUCK/TRAILER CONFIGURATION			
DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN			
STATES)			
CONSTRUCTION SERVICE			
GOVERNMENT BUSINESS SEGMENT			
DRY BULK COMMODITY			
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED			
ROADS			
MAXIMUM 8% EXPECTED GRADE			
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT			
(BETWEEN SITES) ROAD SURFACE			
VOCATIONAL WARRANTY			
EXPECTED FRONT AXLE(S) LOAD: 14600.0 lbs			
EXPECTED REAR DRIVE AXLE(S) LOAD: 40000.0 lbs			
EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 54600.0 lbs			
TRUCK SERVICE:			
END DUMP BODY-OX BODIES (TBEI)			
ENGINE:			
CUM L9 300 HP @ 2000 RPM, 2200 GOV RPM, 860 LB/FT @ 1300 RPM OR		Τ	
APPROVED EQUAL			
ELECTRONIC PARAMETERS:			
72 MPH ROAD SPEED LIMIT			
CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
PTO MODE ENGINE RPM LIMIT - 700 RPM			
PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
PTO RPM WITH CRUISE SET SWITCH - 700 RPM			
PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			
PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
PTO MINIMUM RPM - 700			
	1		
REGEN INHIBIT SPEED THRESHOLD - 5 MPH			

ENGINE EQUIPMENT:	
2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG21	
CONFIGURATION	
2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH	
LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)	
STANDARD OIL PAN	
ENGINE MOUNTED OIL CHECK AND FILL	
SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR	
CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED OR APPROVED	
EQUAL	
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE	
BATTERY VOLT SENSE OR APPROVED EQUAL	
(3) DTNA GENUINE, FLOODED STARTING, MIN 2250CCA, 510RC, THREADED	
STUD BATTERIES	
BATTERY BOX FRAME MOUNTED	
SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB	
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME	
GROUND RETURN	
NON-POLISHED BATTERY BOX COVER	
POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME	
NEXT TO STARTER	
LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED	
CIRCUITS WITH LOCAL ALARM	
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL	
SAFETY VALVE OR APPROVED EQUAL	
AIR COMPRESSOR DISCHARGE LINE	
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	
CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO	
WITH ON/OFF DASH SWITCH OR APPROVED EQUAL	
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT	
SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD	
REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH	
10 FOOT 06 INCH (126 INCH+0/5.9 INCH) EXHAUST SYSTEM HEIGHT	
RH CURVED VEERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP	
13 GALLON DIESEL EXHAUST FLUID TANK	
100 PERCENT DIESEL EXHAUST FLUID FILL	
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING	
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION	
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHEILD	
HORTON 2-SPEED DRIVEMASTER ADVANTAGE POLAREXTREM FAN DRIVE	
OR APPROVED EQUAL	
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE	
MOUNTED	
CUMMINS SPIN ON FUEL FILTER OR APPROVED EQUAL	
COMBINATION FULL FLOW/BYPASS OIL FILTER	
1300 SQUARE INCH ALUMINUM RADIATOR	
MOUNTING FOR FIREWALL MOUNTED SURGE TANK	
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE	
COOLANT	

GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT	
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES	
RADIATOR DRAIN VALVE	
LOWER RADIATOR GUARD	
NO BLOCK HEATER	
NO OIL PREHEATER	
ALUMINUM FLYWHEEL HOUSING	
ELECTRIC GRID AIR INTAKE WARMER	
DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH OR	
APPROVED EQUAL	
TRANSMISSION:	
ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION OR APPROVED	
EQUAL	
TRANSMISSION EQUIPMENT:	
ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT	
FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV OR APPROVED	
EQUAL	
PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6,	
AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	
SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR	
6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	
PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS	
DEFINED BY ENGINE AND VOCATIONAL USAGE OR APPROVED EQUAL	
SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON,	
THIS DEFINED BY ENGINE AND VOCATIONAL USAGE OR APPROVED EQUAL	
PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS	
DEFINED BY ENGINE AND VOCATIONAL USAGE OR APPROVED EQUAL	
SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS	
DEFINED BY ENGINE AND VOCATIONAL USAGE OR APPROVED EQUAL	
FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED	
ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE	
CONNECTOR	
CUSTOMER INSTALLED CHELSEA 280 SERIES PTO	
PTO MOUNTING, RH SIDE OF MAIN TRANSMISSION	
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL	
AND DRAIN	
PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED	
TRANSMISSION PROGNOSTICS - ENABLED 2013	
WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	
TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK	
SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)	
FRONT AXLE and EQUIPMENT	
MFS-14-143A 14,700# FF1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	
MERITOR 15X4 Q+ CAM FRONT BRAKES DOUBLE ANCHOR, FABRICATED	
SHOES OR APPROVED EQUAL	
NON-ASBESTOS FRONT BRAKE LINING	
CONMET CAST IRON FRONT BRAKE DRUMS OR APPROVED EQUAL	
FRONT OIL SEALS	
VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL	
STANDARD SPINDLE NUTS FOR ALL AXLES	
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS OR APPROVED EQUAL	
MERITOR ACTOMATIC FRONT SEACK ADJUSTERS OR ALTROVED EQUAL	<u> </u>

STANDARD KING PIN BUSHINGS	
TRW THP-85 POWER STEERING OR APPROVED EQUAL	
POWER STEERING PUMP	
4 QUART SEE THROUGH POWER STEERING RESERVOIR	
SYNTHETIC 50W FRONT AXLE LUBE	
FRONT SUSPENSION:	
14,600# DUAL TAPERLEAF FRONT SUSPENSION	
MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION	
FRONT SHOCK ABSORBERS	
REAR AXLE AND EQUIPMENT:	
MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE OR APPROVED EQUAL	
4.88 REAR AXLE RATIO	
IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING	
MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND	
YOKES OR APPPROVED EQUAL	
MXL 17T MERITOR EXTENDED MERITOR EXTENDED LUBE INTERAXLE	
DIRVELINE WITH HALF ROUND YOKES OR APPROVED EQUAL	
1-INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES OR	
APPROVED EQUAL	
INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH	
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR,	
FABRICATED SHOES OR APPROVED EQUAL.	
NON-ASBESTOS REAR BRAKE LINING	
ASPHALT SPREADER CLEARANCE REAR BRAKE GEOMETRY	
CONMET CAST IRON REAR BRAKE DRUMS OR APPROVED EQUAL	
REAR OIL SEALS	
WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING	
CHAMBERS OR APPROVED EQUAL	
HALDEX AUTOMATIC REAR SLACK ADJUSTERS OR APPROVED EQUAL	
MINERAL SAE 80/90 REAR AXLE LUBE	
REAR SUSPENSION:	
HENDRICKSON RT 403@40,000# REAR SUSPENSION OR APPROVED EQUAL	
HENDRICKSON RT/RTE-7.19" SADDLE OR APPROVED EQUAL	
STANDARD AXLE SEATS IN AXLE CLAMP GROUP	
52 INCH AXLE SPACING	
STEEL BEAMS AND RUBBER CENTER BUSHINGS WITH BAR PIN ADJUSTABLE	
END CONNECTIONS	
FORE/AFT CONTROL RODS	
BRAKE SYSTEM:	
WABCO 4S/4M ABS OR APPROVED EQUAL	
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES	
FIBER BRAID PARKING BRAKE HOSE	
STANDARD BRAKE SYSTEM VALVES	
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING	
VALVE	
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER OR APPROVED EQUAL	
AIR DRYER FRAME MOUNTED	
STEEL AIR BRAKE RESERVOIRS	
PULL CABLES ON ALL AIR RESERVOIR(S)	

TRAILER CONNECTIONS:	
AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND	
NO DUST COVERS	
PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN,	
ABS CENTER PIN POWERED THROUGH IGNITION	
SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF	
FRAME OR APPROVED EQUAL	
WHEELBASE & FRAME:	
4325MM (170 INCH) WHEELBASE	
11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH)	
120KSI	
1600MM (63 INCH) REAR FRAME OVERHANG	
FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	
CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 106.97 in	
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA):	
103.97 in	
CALC'D FRAME LENGTH - OVERALL : 263.38	
FRAME HEIGHT TOP FRONT UNLADEN: 42.23 in	
FRAME HEIGHT TOP FRONT LADEN: 39.4 in	
FRAME HEIGHT TOP REAR UNLADEN: 42.9 in	
FRAME HEIGHT TOP REAR LADEN: 40.8 in	
CALCULATED FRAME SPACE LH SIDE: 15.86 in	
CALCULATED FRAME SPACE RH SIDE: 132.68 in	
CALC'D SPACE AVAILABLE FOR DECKPLATE: 100.69 in	
SQUARE END OF FRAME	
STANDARD WEIGHT ENGINE CROSSMEMBER  STANDARD CROSSMEMBER DACK OF TRANSMISSION	
STANDARD CROSSMEMBER BACK OF TRANSMISSION STANDARD MIDSHIP #1 CROSSMEMBER(S)	
STANDARD MIDSHIP #1 CROSSMEMBER(S)  STANDARD REARMOST CROSSMEMBER	
STANDARD REARMOST CROSSMEMBER  STANDARD SUSPENSION CROSSMEMBER	
STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER	
CHASSIS EQUIPMENT:	
OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT	
COMPLY WITH FMCSR 393.203	
REMOVABLE FRONT TOW HOOKS STORED ON THE CHASSIS FRAME	
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS	
GRADE 8 THREADED HEX HEADED FRAME FASTENERS	
EXTERIOR HARNESSES WRAPPED IN CONDUIT	
FUEL TANKS:	
100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	
25 INCH DIAMETER FUEL TANK(S)	
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH	
PAINTED BANDS	
FUEL TANK(S) FORWARD	
PLAIN STEP FINISH	
FUEL TANK CAP(S)	
DAVCO 245 FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	
EQUIFLO INBOARD FUEL SYSTEM	
HIGH TEMPERATURE REINFORCED NYLON FUEL LINE	
FUEL COOLER	

TIRES:
CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY RADIAL FRONT TIRES OR
APPROVED EQUAL
CONTINENTAL HDC3 11R22.5 16 PLY RADIAL REAR TIRES OR APPROVED
EQUAL
HUBS:
CONMET PRESET PLUS PREMIUM IRON FRONT HUBS OR APPROVED EQUAL
CONMET PRESET PLUS PREMIUM IRON REAR HUBS OR APPROVED EQUAL
WHEELS:
ACCURIDE 29300 22.5X9.00 10-HUB PILOT 6.38 INSET 5-HAND STEEL DISC
FRONT WHEELS OR APPROVED EQUAL
MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR
WHEELS OR APPROVED EQUAL
FRONT WHEEL MOUNTING NUTS
REAR WHEEL MOUNTING NUTS
NO PUSHER/TAG WHEEL MOUNTING NUTS
CAB EXTERIOR:
110 INCH BBC STEEL CONVENTIONAL CAB
PAINTED ALUMINUM CAB SKIRT
AIR CAB MOUNTS WITH CHECK VALVE
STAINLESS STEEL SILL PLATES WITH RACEWAY
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
FRONT FENDERS
LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH
INTERIOR GRAB HANDLE MOUNTED TO A POST
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
STATIONARY BRIGHT FINISH GRILLE
CHROME HOOD MOUNTED AIR INTAKE GRILLE
GALVANEALED STEEL SEVERE SERVICE CAB
FIBERGLASS HOOD
HOOD OPENING ASSIST
SINGLE HADLEY SD-978 26 INCH RECTANGULAR AIR HORN OR APPROVED
EQUAL
SINGLE ELECTRIC HORN
SINGLE HORN SHIELDS
DOORS AND IGNITION KEYED THE SAME (3 KEYS)
REAR LICENSE PLATE MOUNT END OF FRAME
SINGLE RECTANGULAR H4 HALOGEN
HEADLIGHTS WITH BRIGHT BEZELS
(5) AMBER MARKER LIGHTS
HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS WITH
ROCKER/TOGGLE MOMENTARY INTERRUPTER SWITCH
STANDARD FRONT TURN SIGNAL LAMPS
INTEGRAL STOP/TAIL/BACKUP LIGHTS
DUAL WEST COAST STAINLESS STEEL HEATED MIRRORS
DOOR MOUNTED MIRRORS
102 INCH EQUIPMENT WIDTH
LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW
PRIMARY MIRRORS
NO AUXILIARY MIRROR

STANDARD SIDE/REAR REFLECTORS	
FIBERGLASS EXTERIOR SUN VISOR	
17.5X35 INCH TINTED REAR WINDOW	
TINTED DOOR GLASS	
MANUAL DOOR WINDOW REGULATORS	
2-PIECE ROPED-IN WINDSHIELD GASKET MOUNTED	
2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL	
INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL	
CAB INTERIOR:	
GRAY VINYL BASE INTERIOR	
BLACK HARD TRIM	
BASE LEFT HAND DOOR TRIM	
BASE RIGHT HAND DOOR TRIM	
BLACK MATS WITH SINGLE INSULATION	
DASH MOUNTED ASH TRAY AND (1) POWER OUTLET	
FORWARD ROOF MOUNTED CONSOLE	
PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR	
LH AND RH DOOR MAP POCKETS	
(2) COAT HOOKS ON BACKWALL OF CAB	
(1) DOUBLE CUP HOLDER WITH CELL PHONE HOLDER LH OR RH DASH	
TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING	
DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER	
2-1/2 LB. FIRE EXTINGUISHER	
HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT	
TEMPERATURE CONTROL AND COSMETIC COVER	
HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER AND OUTSIDE PRE-	
FILTER	
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH	
STANDARD HEATER PLUMBING	
VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR OR APPROVED	
EQUAL	
RADIATOR MOUNTED AIR CONDITIONER CONDENSER	
BINARY CONTROL, R-134A OR APPROVED EQUAL	
CAB INSULATION	
AUTOMATIC SELF-RESET CIRCUIT BREAKER IN MAIN DASH POWER	
DISTRIBUTION BOX AND CIRCUIT BREAKER/FUSE IN AUXILIARY POWER	
DISTRIBUTION BOXES	
DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR	
MOUNTED COURTESY LIGHTS	
CAB DOOR LATCHES WITH MANUAL DOOR LOCKS	
TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	
BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR	
LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT	
BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT	
GRAY VINYL DRIVER SEAT COVER	
GRAY VINYL PASSENGER SEAT COVER	
3 POINT HIGH VISIBILITY ORANGE RETRACTOR DRIVER AND PASSENGER	
AND 2 POINT HIGH VISIBILITY ORANGE RETRACTOR CENTER FRONT SEAT	
BELTS ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	
ADJUSTABLE TILT AND TELESCUPING STEERING COLUMIN	

DRIVER AND PASSENGER INTERIOR SUN VISORS  INSTRUMENTS & CONTROLS:  NON-ADJUSTABLE SUSPENDED PEDALS  ELECTRONIC ACCELERATOR CONTROL  ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK  BRIGHT ARGENT FINISH GAUGE BEZELS  BLACK DRIVER INSTRUMENT PANEL  BLACK CENTER INSTRUMENT PANEL  BLACK CENTER INSTRUMENT PANEL  LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM  2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES  INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS  97 DB BACKUP ALARM  ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL  SPOKES  KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4  POSITION OFF/RUN/START/ACCESSORY  ICU4ME DENVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED  HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED  BELOW LH DASH  2 INCH ELECTRIC FUEL GAUGE  ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE  CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH  BLUNTCUTS  BLUNTCUTS  ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE  CONNECTOR  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  2 INCH TRANSMISSION OIL TEMPERATURE GAUGE  2 INCH TRANSMISSION OIL TEMPERATURE GAUGE  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  2 INCH TRANSMISSION OIL TEMPERATURE SENSOR DISPLAY IN DRIVER  MESSAGE CENTER  1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE  INTERLOCK FOR CUSTOMER INSTALLED PTO  ELECTRIC ENGINE OIL PRESSURE GAUGE  AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND  AUXILIARY INPUTS, 11939  ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
NON-ADJUSTABLE SUSPENDED PEDALS ELECTRONIC ACCELERATOR CONTROL ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK BRIGHT ARGENT FINISH GAUGE BEZELS BLACK DRIVER INSTRUMENT PANEL BLACK CENTER INSTRUMENT PANEL LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS 97 DB BACKUP ALARM ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AMFM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, 11939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ELECTRONIC ACCELERATOR CONTROL ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK BRIGHT ARGENT FINISH GAUGE BEZELS BLACK DRIVER INSTRUMENT PANEL BLACK CENTER INSTRUMENT PANEL LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS 97 DB BACKUP ALARM ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AMFM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILLARY INPUTS. 11939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK BRIGHT ARGENT FINISH GAUGE BEZELS BLACK DRIVER INSTRUMENT PANEL BLACK CENTER INSTRUMENT PANEL LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS 97 DB BACKUP ALARM ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR LECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TURER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
BRIGHT ARGENT FINISH GAUGE BEZELS BLACK DRIVER INSTRUMENT PANEL BLACK CENTER INSTRUMENT PANEL LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS 97 DB BACKUP ALARM ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILLARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
BLACK DRIVER INSTRUMENT PANEL BLACK CENTER INSTRUMENT PANEL LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS 97 DB BACKUP ALARM ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES  KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
BLACK CENTER INSTRUMENT PANEL  LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM  2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES  INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS  97 DB BACKUP ALARM  ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL  SPOKES  KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4  POSITION OFF/RUN/START/ACCESSORY  ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED  HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED  BELOW LH DASH  2 INCH ELECTRIC FUEL GAUGE  ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE  CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH  BLUNTCUTS  ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE  CONNECTOR  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  2 INCH TRANSMISSION OIL TEMPERATURE GAUGE  ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER  MESSAGE CENTER  1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE  INTERLOCK FOR CUSTOMER INSTALLED PTO  ELECTRIC ENGINE OIL PRESSURE GAUGE  AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND  AUXILIARY INPUTS, J1939  ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS 97 DB BACKUP ALARM ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFFIRUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS 97 DB BACKUP ALARM ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES  KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS 97 DB BACKUP ALARM  ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES  KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY  ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE  CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE  AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
97 DB BACKUP ALARM ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE  AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
SPOKES  KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4  POSITION OFF/RUN/START/ACCESSORY  ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED  HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE  CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER  MESSAGE CENTER  INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE  AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
POSITION OFF/RUN/START/ACCESSORY ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
FACE GAUGES, DIAGNOSTICS AND DATA LINKED  HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED  BELOW LH DASH  2 INCH ELECTRIC FUEL GAUGE  ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE  CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH  BLUNTCUTS  ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE  CONNECTOR  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  2 INCH TRANSMISSION OIL TEMPERATURE GAUGE  ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER  MESSAGE CENTER  1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE  INTERLOCK FOR CUSTOMER INSTALLED PTO  ELECTRIC ENGINE OIL PRESSURE GAUGE  AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND  AUXILIARY INPUTS, J1939  ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, 11939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE  CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS  ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
CONNECTOR  ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  2 INCH TRANSMISSION OIL TEMPERATURE GAUGE  ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER  MESSAGE CENTER  1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE  INTERLOCK FOR CUSTOMER INSTALLED PTO  ELECTRIC ENGINE OIL PRESSURE GAUGE  AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND  AUXILIARY INPUTS, J1939  ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
2 INCH TRANSMISSION OIL TEMPERATURE GAUGE ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER 1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER  1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
MESSAGE CENTER  1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
INTERLOCK FOR CUSTOMER INSTALLED PTO ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ELECTRIC ENGINE OIL PRESSURE GAUGE AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
AUXILIARY INPUTS, J1939 ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
ROOF/OVERHEAD CONSOLE MOUNTED CB RADIO
(A) DADIO ODEAKEDO INI CAD
(4) RADIO SPEAKERS IN CAB
AM/FM ANTENNA MOUNTED ON RH FRONT A-PILLAR
POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE
MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH
ODOMETER
STANDARD VEHICLE SPEED SENSOR
ELECTRONIC 3000 RPM TACHOMETER WITH HOUR METER
NO VEHICLE PERFORMANCE MONITOR
IGNITION SWITCH CONTROLLED ENGINE STOP
BW TRACTOR PROTECTION VALVE
TRAILER HAND CONTROL BRAKE VALVE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY	
CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT	
SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON	
STEERING WHEEL	
TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR	
MANUAL TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH,	
WASH/WIPE/INTERMITTENT	
PACIFIC INSIGHT ELECTRONIC FLASHER	
DESIGN:	
PAINT: ONE SOLID COLOR	
COLOR:	
CAB COLOR A: L0006EY WHITE ELITE EY	
CAB INTERIOR PAINTED SAME AS CAB COLOR	
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	
POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W,	
TW)	
POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W,	
TW)	
BUMPER PAINT: PAINTED SAME AS CHASSIS	
SUNVISOR PAINTED SAME AS CAB COLOR A	
CERTIFICATION/COMPLIANCE:	·
U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS	

## **ATTACH DEVIATION NOTES:**

## CITY OF BATON ROUGE PARISH OF EAST BATON ROUGE PURCHASING DIVISION

# **Specifications:**

General: The intent of this proposal is to establish prices for a 2021 or newer Dump Body. Warren Dump Body of approved equal. These specifications represent standard requirements for City Parish Dump Body. Responses that are found to be incorrect during bid evaluation may result in a determination of bid non-responsiveness.

incorrect during bid evaluation may result in a determination of bid non-responsiveness.  MINIMUM SPECIFICATIONS DESCRIPTIONS.	М	TТ	
ATTACH DEVIATION NOTES TO PROPOSAL. DUMP BODY		MEET SPECIFICATIONS	
As a minimum (any non-compliance must be marked "NO") each unit shall be equipped	YES	NO NO	
DUMP BODY	120	110	
DUMP BODY - FRAME TYPE - 13'		T	
Yardage 12/14			
Floor / Material 1/4" AR450			
Front / Material 48" 10 GA A1011			
Side / Material 42" 10 GA A1011			
Vertical Side Brace			
Horizontal Brace			
Hoist / Cylinder VTW-63110			
Hydraulics: 85 CC Gear Pump w DIN Shaft			
Tipping Valve" Tank Mount			
TAILGATE:			
Air Operated			
Panel 9			
Material 10 GA A1011			
Height 48"			
Slope 6"			
Chains: 5/16"			
Double Acting			
High Lift Gate			
Side Swing - Ground Operated			
Center Opening			
Material Gate			
Water Tight			
DUMP BODY OPTIONS #1			
Cabshield Full Width ½ (24")			
Asphalt Apron 8"			
Bolt On			
Center Board Pockets			
LIGHTS			
Lights LED Standard			
Harness			
Oval S/T/T (1) grommet mt. in ea. rear post			
Four corner LED warning light system			
(2) grommet mount mt. in cab shield			
(1) grommet mt in ea rear post			
In cab switch			
DUMP BODY OPTIONS #2			
1/4 X 2 tarp tie rail			
D/S & P/S rung step			
Electric brake controller			
Metal gravel guards (1pr.)			
Conspicuity tape sides & tailgate			
10" channel bumper w/sight pole and pull eye-front pull eye			
The state of the s			

DUMP BODY INSTALL:	
Hydraulic Hoses/Fittings	
Pump 85 CC Gear Pump w DIN Shaft	
Console Hyva Deluxe Console	
Conspicuity Tape side and rear	
Mudflaps and Brackets	
Splash/Gravel Guards	
Side Boards 2" x 6" tubing	
Chrome Turnouts	
Covers	
Wires in Conduit	
Delivery Fuel Charges	
TARP SYSTEM:	
TARP system - installed	
Electric	
Manual	
Type: Arm	
Aluminum	
Steel	
Bent Arm	
Side Flaps	
Tarp Size 90" x 18'	
Tarp Type: Asphalt	
TOW PACKAGE:	
Pintle Plate ¾"	
Pintle Hitch 30 Ton	
Glad Hands	
D Rings	
Tow hooks	
Electric Plug: 7 Way	
Pup Rigging	
Extra 7 way plumbed to PH plate	
Mount gladhands as high as possible	
PAINT:	1
Black	
PTO	1
For Allison Automatic Transmission or approved equal	
PTO Muncie A20 Series Auto or approved equal	

ATTACH DEVIATION NOTES:

# BIDDER'S ORGANIZATION BIDDER IS:

## AN INDIVIDUAL

Individual's Name:	THE REPORT OF THE PROPERTY OF
Doing business as:	
Address:	
Telephone No.:	Fax No.:
A PARTNERSHIP Firm Name:	
Telephone No.:	Fax No.:
A LIMITED LIABILITY COMPA Company Name:	<u>.NY</u>
Title:	
Telephone No.:	Fax No.:
BID.	<u>A CORPORATION</u> THE CORPORATE RESOLUTION SHOULD BE SUBMITTED WITH
Address:	
State of Incorporation:	
Name of person authorized to sign: _	
Title:	
Telephone No.:	

IF BID IS BY A JOINT VENTURE, ALL PARTIES TO THE BID SHOULD COMPLETE THIS FORM.

## **CORPORATE RESOLUTION**

A meeting of the Board of Directors of		a	corporat	ion
organized under the laws of the State of	and	domici	led	in
was held thisday of, 20 _and was attended				the
Board of Directors.				
The following resolution was offered, duly seconded and after of	discussion wa	as unanimo	usly adopted	by
said quorum:				
BE IT RESOLVED, that	is	hereby	authorized	to
submit proposals and execute agreements on behalf of this corp	poration with	the City o	f Baton Rou	ge,
and Parish of East Baton Rouge.				
BE IT FURTHER RESOLVED, that said authorization and ap	pointment sh	all remain	in full force	and
effect, unless revoked by resolution of this Board of Directors	and that sai	d revocation	on will not to	ake
effect until the Purchasing Director of the Parish of East Baton I	Rouge, shall h	nave been f	urnished a co	эру
of said resolution, duly certified.				
I,, hereby certify that I am the Sec	retary of			
a corporation created under the laws of the State of	domicile	d in	<u>;</u>	
that the foregoing is a true and exact copy of a resolution adopted	d by a quorur	n of the Bo	ard of Direct	ors
of said corporation at a meeting legally called and held on the	day_of		, 20	, as
said resolution appears of record in the Official Minutes of the B	oard of Direc	ctors in my	possession.	
This day of _		20		
SEC	CRETARY		_	